



RCSTARS Professional LCD Monitors will catch the attention of your customers. High resolution, high performance could meet all kinds of needs of commercial users. Rcstars monitors have a wide range screen sizes from 10" to 84" with 24/7 applications, Eco-Friendly LED Backlit commercial displays consume 30% less power than CCFL-Backlit models, prolong the lifetime of LCD Screen itself. All monitors are with VGA/HDMI inputs, could connect with any type media player box, PC and video devices.


**Key Features:**

- 23.8 inch LCD Monitor
- 1920x1080 resolution
- 89/89/89/89 viewing angle
- HDMI input
- 7-24 hours operation
- 2 High Quality Speakers
- DC power cable(both with fixed screws)
- 30cm Pole, Mounting system, LED strips

**Application Areas**

- Hospitals
- Retail Stores
- Shopping Malls
- Supermarkets
- Museums and Galleries
- Airports
- Train/Bus Stations

## RCS-240DM



### Specifications

DISPLAY	Panel Model	23.8inch TFT LED
	Max Resolution	1920x1080
	Aspect Ratio	16:9
	Pixel Pitch	0.2745x0.2745
	Viewing Angle	89/89/89/89
	Contrast Ratio	1000:1
	Brightness	300cd/m <sup>2</sup>
	Response Time	15ms
	Display Area (mm)	527.04x296.46mm
	Panel Size(mm)	543x317.4x11.6mm
	Screen Weight	2.27Kg
	Lamp Type	WLED
INTERFACE	1*HDMI input	
	1*DC input	
	Up to 1920x1080@60Hz	
VGA Switch	480i,480p,720i,720p,1080i,1080p	
Power on/off		
DESIGN	Color	Matte Black

ON-SCREEN DISPLAY LANGUAGES	English, French, German, Italian, Polish, Russian, Simplified Chinese, Spanish, Turkish, Arabic, Japanese, Traditional Chinese etc.	
DISPLAY MODE	Portrait & Landscape	
POWER	Mains Power Consumption DC 12V, 50-60 Hz 31W	
SOUND	Built-in Speakers 2 x 5W	
DIMENSION & WEIGHT	Machine Size	576.9x70x348.9mm
	Machine Weight	12KG
	Carton Size	900x185x540mmmm
	Carton Weight	13.2KG
	Wooden Case Size	950x930x590mm(5PCS)
Wooden Case Weight	118KG	
OTHER	Regulatory Approvals CE, FCC, ROHS, HDMI certificates	
Warranty	2 years warranty	
ACCESSORIES	Remote Control	Optional
	Power Supply	x1 (DC adaptor/ DC cable)
	User's Manual	x1